

FISHER

PROTECTIVE PADDING



**Full Color Digitally
Printed Wall Panels**

**Colorful Team Pride
Wall Panels**



**Multi-color Screened
Wall & Stage Padding**



**Digitally Printed Wall Panels • Team Pride Walls • Interior & Exterior Wall Systems
Wall Pad Accessories • Permanent and Removable Corner & Beam Pads
Stage Mats • Removable Wall Pads • Pole Padding**




PADDING

Vinyl			
14 oz. laminated fire retardant vinyl	18 oz. coated vinyl	18 oz. coated, fire retardant vinyl	30 oz. expanded vinyl

Foam				
2" to 4" high density 100 lb. ILD polyfoam	1 1/2" Hi-D Ethacell	2" to 4" 6 lb. bonded foam	2" to 4" fire retardant 100 lb. ILD polyfoam	2 1/2" to 3 1/2" Ethacell / polyfoam combination

Mounting Systems		
Direct mount 1" top & bottom lip	U-channel	Z-bracket

Other Options
Vonar® fireline flame barrier




Optional Wall Panel Mounting Systems



U-Channel / Wing
 Model# Length
WPUB.....6' Section
 1-6' U-channel section will mount three 24" wide panels.



Z-Bracket
 Model# Length
WPZB218" Section
WPZB436" Section
WPZB672" Section
 4-WPZB2 required per 24" wide panel, 2 on the panel and 2 on the wall.




PADDING



PADDING

Our colorful **Team Pride Padding** is a great way to instill team pride and spirit at your school or organization, while protecting your athletes. Choose from five exciting designs in either “cut & sewn” or “inked on” styles. “Cut & sewn” is offered with 30 oz. expanded, mildew resistant vinyl over 3” high density 100 lb. ILD polyfoam. “Inked on” is offered

with 14 oz. laminated vinyl over 2” high density 100 lb. ILD polyfoam. Both styles use 7/16” OSB for strength. Price includes lettering and printing your artwork. Sewn Team Pride walls include mounting brackets.



5 BOLD DESIGNS TO CHOOSE FROM



TEAM PRIDE WALLS			
Style	Model (sewn)	Model (inked)	Size
A	TP6127	TPIA6127	(3) 6' H X 4' W panels
B	TP6122	TPIA6122	(3) 6' H X 4' W panels
C	TP6124	TPIA6124	(3) 6' H X 4' W panels
D	TP6125	TPIA6125	(3) 6' H X 4' W panels
E	TP6126	TPIA6126	(3) 6' H X 4' W panels



Full Color Digitally Printed Wall Panels

Increase your school spirit with these full color digital wall panels. You can use your own photography and artwork or have our art department provide photos, logos and lettering for maximum impact. Colors and designs are now almost limitless with brilliant inks that will last for years.



- Bright, durable, outdoor quality inks
- Process inks provide almost any color choice
- 7/16" OSB (oriented strand board) for strength
- Gloss vinyl laminated polyester fabric
- 2" high density 100 lb. ILD Polyfoam
- Standard size panels are 4' x 6'
- 1 1/8" top and bottom mounting flange
- Optional aluminum track mounting system

Wall Panel Protective Covers

We **highly recommend** these covers for the protection of your digital and screen printed artwork. They mount directly above your wall panels and can be easily removed and re-mounted.

Protective Covers & Mounting Systems

- PC612.....6' x 12' protective cover
- PCSO.....Custom size protective cover (per sq. ft.)
- CBKT.....Keder welt bracket (per ft.) included
- KW100....Keder welt cord (per ft.) included



FOLDING REMOVABLE WALL PADS

Folding Removable Wall Mats
2" Polyfoam, 14 oz. Vinyl

- Size** 14oz. vinyl 18oz. vinyl
- 4'x6'.....RWP224062.....RWP224063
- 4'x8'.....RWP224082.....RWP224083
- 5'x10'...RWP225102....RWP225103
- 5'x12'...RWP225122....RWP225123
- 6'x10'...RWP226102....RWP226103
- 6'x12'...RWP226122....RWP226123



"C" channel mounting with welt strip.



These mats are the ultimate in flexibility and protection. Hang them on the wall for protection in your gym, or remove the mats and use them on the floor for gym class. Easy to mount, easy to remove. Comes with "C" channel mounting system unless otherwise specified. Available vinyl coverings: 14 oz. laminated, fire retardant, mildew resistant vinyl and 18 oz. coated, mildew resistant vinyl. Foam protection is available in: 1 1/2" HiD Ethacell foam and 2" 100 lb.ILD polyfoam. Folding sections are 2" wide.

NON-FOLDING REMOVABLE WALL PADS



Our most affordable wall mat offers protection and value. Hang the mats on the wall for protection in your gym or remove them for use as exercise mats. They are easy to mount and remove and are available in 15 colors (18 oz. vinyl) and 13 colors (14 oz. vinyl).

Fisher WM series wall mats are manufactured from 2" 100 lb. ILD polyfoam with a vinyl "pipe loop" on the top of the mat. Just go to your local hardware store and buy a length of steel pipe (1/2" to 3/4") and fasten the mat to the wall using the SMH1 mat hanging straps included with your mat. Provide your own artwork or choose from our clip art selection.



Non-folding Removable Wall Mats
2" Polyfoam, 14 oz. Vinyl

- 2" 100 lb. ILD polyfoam standard on WM series wall pads
- **Choose from two vinyl coverings:**
- 14 oz. laminated, fire retardant, mildew resistant vinyl
- 18 oz. coated, mildew resistant vinyl

Size	Standard Model #	Grommet Model #
4'x6'	WM224062	WMG224062
4'x8'	WM224082	WMG224082

Concrete, wood or metal stages adjacent to athletic surfaces are a danger to anyone participating in an active sport. Help protect your players from injury while dressing up your gym with beautiful, safe and practical Fisher Stage Mat Systems.

Available vinyl coverings


- 14 oz. laminated, mildew resistant vinyl.
- 18 oz. coated, mildew resistant vinyl
- 14 oz. in 13 colors / 18 oz. in 15 colors

Stage mats are easy to mount and custom sizes are available. You can choose between permanent or removable mounting with logos and lettering available. Cutouts can be provided for access to electrical outlets or other objects. Special pad designs are available.

Available foam protection

- 2"-4" 100 lb. ILD polyfoam
- 2 1/2"-3 1/2" combo/polyfoam
- 2" fire retardant 100 lb. ILD polyfoam

Removable Stage Mats



- Comes with 2" Velcro® to attach to the stage
- Cutouts available
- Each stage pad consists of an "L" cap and facemat

- 6", 8" and 12" standard depths on all "L" caps
- Allows access to under stage storage areas
- Interlocking removable stage mat systems available


Permanently Mounted Stage Mats



- 7/16" OSB (Oriented Strand Backing) for strength
- All panels are safety finished (no exposed staples raw edges or sharp corners)

- 1" Mounting wing on top and bottom
- Cutouts available
- Each stage pad is a one piece "L" shaped mat

Fisher removable beam and corner pads are designed for maximum protection. Easy to mount & remove, these pads are a great value.



IBP Removable I-beam face pads are designed to cover the sharp edges and faces of steel I-Beams. Constructed with 3" polyfoam.

RCC Removable 2 sided corner covers are designed to cover door openings, sharp corners, or other angled edges. Constructed with 2" polyfoam.

BP3 Removable 3 sided beam pads are designed to cover steel or concrete beams. Gives you full protection on wall beams. Constructed with 2" polyfoam.

BP4 Removable 4 sided square post pads cover any type of square post. Gives full protection on posts in active areas. Constructed with 2" polyfoam.

Standard Specifications

- Fastens with 2" super-hold, Velcro® strips down the inside of the pad
- Corresponding 1" or 2" pressure sensitive, super-hold Velcro® strips fasten to the face of the beam
- Heights to fit any beam. • Priced per square foot

Available vinyl coverings

- 14 oz. laminated, fire retardant, mildew resistant vinyl (13 colors)
- 18 oz. coated, mildew resistant vinyl (15 colors)

See price list for model numbers

Available foam protection

- 2" 100 lb. ILD polyfoam
- 3" 100 lb. ILD polyfoam
- 1 1/2" HiD Ethacell
- Special foams available

**Please provide height, width and depth on all corner and beam covers.*

PERMANENT BEAM PADS

FISHER

Custom made to fit any area, these specialty covers will protect your athletes and students from sharp, protruding corners and edges.



PCC Series
Permanently mounted
corner covers



PBC Series
Permanent 3 sided
beam covers



PBT Series
Permanent 3 sided
tapered beam pads

The following are the specifications on our standard corner covers and beam pads:


- 7/16" OSB (Oriented Strand Board) wood backed for strength & durability
- All panels are safety finished -no exposed staples, raw edges or sharp corners
- Offered in your choice of two vinyl coverings and five foam combinations
- 1" mounting wing on top and bottom
- Manufactured to your specifications
- Priced per square foot

Available vinyl coverings

- 14 oz. laminated, fire retardant, mildew resist. vinyl
- 18 oz. coated, mildew resistant vinyl

Available foam protection

- 1 1/2" HiD Ethacell foam
- 2"-4" 100 lb. ILD polyfoam
- 2"-4" 6 lb. bonded foam
- 2 1/2"-3 1/2" Ethacell/poly combination foam
- 2" fire retardant 100 lb. ILD polyfoam



**Please provide height, width and depth on all corner and beam covers.*

EXTERIOR PADDING / WOOD BACKED

Custom Stadium Padding



WPS
Wood Backed Wall Padding


- 18 oz. coated vinyl, 15 colors
- 2 styles: WPS wood backed and EWM non-wood backed
- Vent holes in bottoms
- Available in 4 foam grades
- Standard heights from 4' to 8'
- Standard widths from 2' to 4'
- Available with custom graphics
- Custom sizing available

Digital Graphics

- Vibrant, durable digitally printed vinyl
- Unlimited color combinations
- UV resistant
- Call for details



WPS Padding with Graphics




WPS with Sewn-on Gold Stripe


- EWM and WPS series padding can be mounted to brick, concrete, wood or any solid surface, but also easily mounts to any chain link fence
- The EWM series has brass grommets at the top and bottom for mounting.
- The WPS series padding is wood backed and is supplied with 1" nailing lips at the top and bottom
- Optional "Z" or "U" channel hardware is available for mounting WPS series padding to solid surfaces



WPS series padding (above photo) can be mounted to any chain link fence with Fisher's 3" dia. galvanized steel washers and inserts pre-installed in each pad.



EXTERIOR PADDING / NON-WOOD BACKED




Fisher's Exterior Wall Mats, and Ball Stop Pads are similar to the wood backed protective pads described on page 88 with the exception that 7/16" OSB is not used. The EWM and BSP series paddings are manufactured from 18 oz. weather resistant, coated vinyl.

The EWM series may be mounted to concrete, brick, wood or any solid surface, but also easily mounts to any chain link fence. The EWM series has grommets for mounting at the top and bottom for solid surfaces (2 strips) and / or top, bottom & middle grommet strips for chain link fences.

- 18 oz. coated vinyl with 15 color choices
- 2' & 4' standard width / 4' to 8' standard height
- Custom sizes and art work available

**See price list for model # and details*



PADDING

RAIL PADDING



- RPG18448" grommets
- RPG18672" grommets
- RPG18896" grommets
- RPG1810120" grommets
- RPGSO18Special Size
- TY1.....Pkg.100 wire ties



- 1" high density closed cell foam
- 18 oz. weather resistant vinyl
- 15 colors to choose from
- Fits 2" to 3" dia. rail
- Grommets
- Custom sizing available

Fisher's custom post pads protect your athletes from hazards such as light poles, score boards, goal posts, or any other object near your game or practice field.

- Fully enclosed vinyl covered foam for weather resistance
- Extra thick foam padding to protect your athletes
- Velcro® or grommet closure down the back seam of the pad cover
- Custom pads to fit any diameter pole
- Available with mascot names and logos

Please provide height, pole diameter or circumference and foam thickness desired.



Logos and lettering are available on all custom pads.




PMGS03

Economy 2" wrap type post pads: 2" polyfoam, attaches with Velcro® strap or grommets.

Vinyl coverings:

- 14 oz. laminated, fire retardant, mildew resistant vinyl
- 18 oz. coated, mildew resistant vinyl
- 14 oz. in 13 different colors
- 18 oz. in 15 different colors




14 oz. vinyl

Pole Size	Pad Size	Standard Model#	Grommet Model #
1"-2" Dia.	6'Hx12"Wx2" thk.	PMV72122	PMG72122
2"-3" Dia.	6'Hx16"Wx2" thk.	PMV72162	PMG72162
4"-6" Dia.	6'Hx26"Wx2" thk.	PMV72262	PMG72262

18 oz. vinyl

Pole Size	Pad Size	Standard Model#	Grommet Model #
1"-2" Dia.	6'Hx12"Wx2" thk.	PMV72123	PMG72123
2"-3" Dia.	6'Hx16"Wx2" thk.	PMV72163	PMG72163
4"-6" Dia.	6'Hx26"Wx2" thk.	PMV72263	PMG72263
Special size pads available		PMVSO	PMGSO

8' heights available in all PM series sizes.



PMV72263